## 2018 School Health Profiles Report Weighted Principal Survey Results

1. Percentage of schools that ever used the School Health Index or other self-assessment tool to assess school policies, activities, and programs in the following areas.

		High Schools		Mic	ldle Schools			r/Senior Hig Schools	h	A	All Schools		
		Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a.	Physical education and physical activity	91.3	91.3 - 91.3	23	57.6	57.6 - 57.6	33	-	-	2	69.0	69.0 - 69.0	58
b.	Nutrition	87.0	87.0 - 87.0	23	48.5	48.5 - 48.5	33	-	-	2	62.1	62.1 - 62.1	58
c.	Tobacco-use prevention	86.4	86.4 - 86.4	22	33.3	33.3 - 33.3	33	-	-	2	52.6	52.6 - 52.6	57
d.	Chronic health conditions (e.g., asthma, food allergies)	65.2	65.2 - 65.2	23	27.3	27.3 - 27.3	33	-	-	2	41.4	41.4 - 41.4	58
e.	Unintentional injury and violence prevention (safety)	78.3	78.3 - 78.3	23	43.8	43.8 - 43.8	32	-	-	2	56.1	56.1 - 56.1	57
f.	Sexual health, including HIV, other STD, and pregnancy prevention	78.3	78.3 - 78.3	23	42.4	42.4 - 42.4	33	-	-	2	55.2	55.2 - 55.2	58

<sup>-</sup> Results are suppressed due to insufficient number of respondents in subgroup.

## 2018 School Health Profiles Report Weighted Principal Survey Results

2. Percentage of schools with a School Improvement Plan that includes health-related objectives on the following topics.

		High Schools		Mic	ddle Schools		Junio	or/Senior Hig Schools	gh	A	All Schools		
		Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a.	Health education	31.6	31.6 - 31.6	19	19.2	19.2 - 19.2	26	-	-	1	26.1	26.1 - 26.1	46
b.	Physical education	33.3	33.3 - 33.3	18	15.4	15.4 - 15.4	26	-	-	1	24.4	24.4 - 24.4	45
c.	Physical activity	33.3	33.3 - 33.3	18	19.2	19.2 - 19.2	26	-	-	1	26.7	26.7 - 26.7	45
d.	School meal programs	27.8	27.8 - 27.8	18	15.4	15.4 - 15.4	26	-	-	1	22.2	22.2 - 22.2	45
e.	Foods and beverages available at school outside the school meal programs	27.8	27.8 - 27.8	18	19.2	19.2 - 19.2	26	-	-	1	24.4	24.4 - 24.4	45
f.	Health services	50.0	50.0 - 50.0	18	19.2	19.2 - 19.2	26	-	-	1	33.3	33.3 - 33.3	45
g.	Counseling, psychological, and social services	55.6	55.6 - 55.6	18	38.5	38.5 - 38.5	26	-	-	1	46.7	46.7 - 46.7	45
h.	Physical environment	33.3	33.3 - 33.3	18	28.0	28.0 - 28.0	25	-	-	1	31.8	31.8 - 31.8	44
i.	Social and emotional climate	50.0	50.0 - 50.0	18	38.5	38.5 - 38.5	26	-	-	1	44.4	44.4 - 44.4	45
j.	Family engagement	55.6	55.6 - 55.6	18	38.5	38.5 - 38.5	26	-	-	1	46.7	46.7 - 46.7	45
k.	Community involvement	55.6	55.6 - 55.6	18	38.5	38.5 - 38.5	26	-	-	1	46.7	46.7 - 46.7	45
1.	Employee wellness	50.0	50.0 - 50.0	18	23.3	23.3 - 23.3	30	-	-	1	34.7	34.7 - 34.7	49

<sup>-</sup> Results are suppressed due to insufficient number of respondents in subgroup.

# **2018 School Health Profiles Report** Weighted Principal Survey Results

3. Percentage of schools that reviewed health and safety data as part of school's improvement planning process.\*

Н	igh Schools		Mi	ddle Schools		Junior/Se	nior High Sc	hools	A	All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent			Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
95.2	95.2 95.2 - 95.2 21			89.3 - 89.3	28	_	_	2	92.2	92.2 - 92.2	51

<sup>\*</sup>Among schools that engaged in an improvement planning process during the past year.

<sup>-</sup> Results are suppressed due to insufficient number of respondents in subgroup.

## **2018 School Health Profiles Report Weighted Principal Survey Results**

4. Percentage of schools that did the following activities during the past year.

		High Schools		Mic	ddle Schools			/Senior Hig Schools	h	A	All Schools		
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	Reviewed district's local wellness policy	91.3	91.3 - 91.3	23	90.9	90.9 - 90.9	33	-	-	2	91.4	91.4 - 91.4	58
b.	Helped revise district's local wellness policy	56.5	56.5 - 56.5	23	42.4	42.4 - 42.4	33	-	-	2	48.3	48.3 - 48.3	58
c.	Communicated to school staff about district's local wellness policy	95.7	95.7 - 95.7	23	90.9	90.9 - 90.9	33	-	-	2	93.1	93.1 - 93.1	58
d.	Communicated to parents and families about district's local wellness policy	91.3	91.3 - 91.3	23	72.7	72.7 - 72.7	33	-	-	2	81.0	81.0 - 81.0	58
e.	Communicated to students about district's local wellness policy	91.3	91.3 - 91.3	23	63.6	63.6 - 63.6	33	-	-	2	75.9	75.9 - 75.9	58
f.	Measured school's compliance with district's local wellness policy	65.2	65.2 - 65.2	23	57.6	57.6 - 57.6	33	-	-	2	62.1	62.1 - 62.1	58
g.	Developed an action plan that describes steps to meet requirements of district's local wellness policy	73.9	73.9 - 73.9	23	81.8	81.8 - 81.8	33	-	-	2	79.3	79.3 - 79.3	58

<sup>-</sup> Results are suppressed due to insufficient number of respondents in subgroup.

# **2018 School Health Profiles Report** Weighted Principal Survey Results

5. Percentage of schools that currently have someone who oversees or coordinates school health and safety programs and activities.

H	igh Schools		Mi	ddle Schools		Junior/Se	nior High Sc	hools	1	All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent			Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
100.0	†	23	97.0	97.0 - 97.0	33	-	-	2	98.3	98.3 - 98.3	58

<sup>-</sup> Results are suppressed due to insufficient number of respondents in subgroup.

<sup>†</sup> Confidence intervals not applicable for 0 percent or 100 percent.

# **2018 School Health Profiles Report** Weighted Principal Survey Results

6. Percentage of schools that have one or more than one group (e.g., a school health council, committee, team) that offers guidance on the development of policies or coordinates activities on health topics.

H	igh Schools		Mi	ddle Schools		Junior/Se	nior High Sc	hools		All Schools		
	95%			95%			95%			95%		
	Confidence			Confidence			Confidence			Confidence		
Percent			Interval	N	Percent	Interval	N	Percent	Interval	N		
95.7	95.7 95.7 - 95.7 23 66.7 66.7 - 66.7 33					-	-	2	79.3	79.3 - 79.3	58	

## 2018 School Health Profiles Report Weighted Principal Survey Results

7. Percentage of schools that have a school health council, committee, or team that did the following activities during the past year.\*

		High Schools			Mic	ddle Schools			r/Senior Hig Schools	;h	A	All Schools	
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	Identified student health needs based on a review of relevant data	95.5	95.5 - 95.5	22	77.3	77.3 - 77.3	22	-	-	2	87.0	87.0 - 87.0	46
b.	Recommended new or revised health and safety policies and activities to school administrators or the school improvement team	81.8	81.8 - 81.8	22	86.4	86.4 - 86.4	22	-	-	2	84.8	84.8 - 84.8	46
c.	Sought funding or leveraged resources to support health and safety priorities for students and staff	68.2	68.2 - 68.2	22	50.0	50.0 - 50.0	22	-	-	2	58.7	58.7 - 58.7	46
d.	Communicated the importance of health and safety policies and activities to district administrators, school administrators, parent-teacher groups, or community members	100.0	†	22	77.3	77.3 - 77.3	22	-	-	2	89.1	89.1 - 89.1	46
e.	Reviewed health-related curricula or instructional materials	77.3	77.3 - 77.3	22	68.2	68.2 - 68.2	22	-	-	2	73.9	73.9 - 73.9	46
f.	Assessed the availability of physical activity opportunities for students	90.9	90.9 - 90.9	22	86.4	86.4 - 86.4	22	-	-	2	89.1	89.1 - 89.1	46
g.	Developed a written plan for implementing a Comprehensive School Physical Activity Program (a multi-component approach that provides opportunities for students to be physically active before, during, and after school)	40.9	40.9 - 40.9	22	52.4	52.4 - 52.4	21	-	-	2	46.7	46.7 - 46.7	45

<sup>\*</sup>Among schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics.

<sup>-</sup> Results are suppressed due to insufficient number of respondents in subgroup.

<sup>†</sup> Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

# **2018 School Health Profiles Report** Weighted Principal Survey Results

8. Percentage of schools that have any clubs that give students opportunities to learn about people different from them, such as students with disabilities, homeless youth, or people from different cultures.

H	igh Schools		Mi	ddle Schools		Junior/Sea	nior High So	hools	1	All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent			Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
95.7	95.7 95.7 - 95.7 23 81.8 81.8 - 81.8				33	_	_	1	86.0	86.0 - 86.0	57

<sup>-</sup> Results are suppressed due to insufficient number of respondents in subgroup.

# **2018 School Health Profiles Report** Weighted Principal Survey Results

9. Percentage of schools that offer each of the following activities for students to learn about people different from them, such as students with disabilities, homeless youth, or people from different cultures.

		Hi	igh Schools		Mic	idle Schools			r/Senior Hig Schools	h	A	All Schools	
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	Lessons in class	91.3	91.3 - 91.3	23	84.4	84.4 - 84.4	32	-	-	1	87.5	87.5 - 87.5	56
b.	Special events sponsored by the school or community organizations (e.g., multicultural week, family night)	90.5 90.5 - 90.5 21			72.7	72.7 - 72.7	33	-	-	1	80.0	80.0 - 80.0	55

Page 9 of 63

<sup>-</sup> Results are suppressed due to insufficient number of respondents in subgroup.  $N = Unweighted \ number \ of \ observations$ 

## **2018 School Health Profiles Report Weighted Principal Survey Results**

10. Percentage of schools that have a student-led club that aims to create a safe, welcoming, and accepting school environment for all youth, regardless of sexual orientation or gender identity.

H	igh Schools		Mi	ddle Schools		Junior/Sea	nior High So	chools	1	All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent			Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
91.3	91.3 91.3 - 91.3 23 63.6 63.6 - 63.6 33				33	_	-	2	74.1	74.1 - 74.1	58

Page 10 of 63

<sup>-</sup> Results are suppressed due to insufficient number of respondents in subgroup.  $N = Unweighted \ number \ of \ observations$ 

## 2018 School Health Profiles Report Weighted Principal Survey Results

11. Percentage of schools that engage in the following practices related to lesbian, gay, bisexual, trangender, or questioning (LGBTQ) youth.

		H	High Schools		Mie	ddle Schools			/Senior Hig Schools	<b>h</b>	A	All Schools	
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	Identify "safe spaces" (e.g., a counselor's office, designated classroom, or student organization) where LGBTQ youth can receive support from administrators, teachers, or other school staff	100.0	†	23	97.0	97.0 - 97.0	33	-	-	2	98.3	98.3 - 98.3	58
b.	Prohibit harassment based on a student's perceived or actual sexual orientation or gender identity	100.0	†	23	100.0	†	33	-	-	2	100.0	†	58
c.	Encourage staff to attend professional development on safe and supportive school environments for all students, regardless of sexual orientation or gender identity	100.0	†	23	100.0	†	33	-	-	2	100.0	†	58
d.	Facilitate access to providers not on school property who have experience in providing health services, including HIV/STD testing and counseling, to LGBTQ youth	95.7	95.7 - 95.7	23	60.6	60.6 - 60.6	33	-	-	2	75.9	75.9 - 75.9	58
e.	Facilitate access to providers not on school property who have experience in providing social and psychological services to LGBTQ youth	95.7	95.7 - 95.7	23	75.8	75.8 - 75.8	33	-	-	2	84.5	84.5 - 84.5	58

Page 11 of 63

<sup>-</sup> Results are suppressed due to insufficient number of respondents in subgroup.

<sup>†</sup> Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

# **2018 School Health Profiles Report** Weighted Principal Survey Results

12. Percentage of schools in which all staff received professional development on preventing, identifying, and responding to student bullying and sexual harassment, including electronic aggression, during the past year.

H	igh Schools		Mi	ddle Schools		Junior/Sea	nior High So	chools	1	All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent			Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
91.3	91.3 91.3 - 91.3 23 87.9 87.9 - 87.9		87.9 - 87.9	33	_	_	2	89.7	89.7 - 89.7	58	

<sup>-</sup> Results are suppressed due to insufficient number of respondents in subgroup.

## 2018 School Health Profiles Report Weighted Principal Survey Results

13. Percentage of schools that have a designated staff member to whom students can confidentially report student bullying and sexual harassment, including electronic aggression.

H	igh Schools		Mic	ldle Schools		Junior/Se	nior High Sc	hools	A	All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent			Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
100.0	<b>†</b>	23	100.0	<b>†</b>	33	_	_	2	100.0	<b>†</b>	58

<sup>-</sup> Results are suppressed due to insufficient number of respondents in subgroup.

<sup>†</sup> Confidence intervals not applicable for 0 percent or 100 percent.

## 2018 School Health Profiles Report Weighted Principal Survey Results

14. Percentage of schools that use electronic, paper, or oral communication to publicize and disseminate policies, rules, or regulations on bullying and sexual harassment, including electronic aggression.

H	igh Schools		Mi	iddle Schools		Junior/Se	nior High Sc	hools	1	All Schools		
	95%			95%			95%			95%		
	Confidence			Confidence			Confidence			Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	
100.0 † 23		93.9	93.9 - 93.9	33	-	-	2	96.6	96.6 - 96.6	58		

<sup>-</sup> Results are suppressed due to insufficient number of respondents in subgroup.

<sup>†</sup> Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

# **2018 School Health Profiles Report** Weighted Principal Survey Results

15. Percentage of schools that taught a required physical education course in each of the following grades.\*

		H	High Schools		Mid	dle Schools			:/Senior Hig Schools	gh	A	ll Schools	
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	Sixth grade	§	§	§	100.0	†	32	-	-	2	100.0	†	34
b.	Seventh grade	§	§	§	100.0	†	33	-	-	2	100.0	†	35
c.	Eighth grade	§	§	§	100.0	†	33	-	-	2	100.0	†	35
d.	Ninth grade	100.0	†	22	-	-	0	-	-	2	100.0	†	24
e.	Tenth grade	100.0	†	23	§	§	§	-	-	2	100.0	†	25
f.	Eleventh grade	52.4	52.4 - 52.4	21	§	§	§	-	-	2	52.2	52.2 - 52.2	23
g.	Twelfth grade	52.4	52.4 - 52.4	21	§	§	§	-	-	2	52.2	52.2 - 52.2	23

<sup>\*</sup>Among schools with students in that grade.

<sup>-</sup> Results are suppressed due to insufficient number of respondents in subgroup.

<sup>§</sup> Grade is not applicable for type of school.

<sup>†</sup> Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

## **2018 School Health Profiles Report Weighted Principal Survey Results**

16. Percentage of schools in which physical education teachers or specialists received professional development on physical education or physical activity during the past year.

H	ligh Schools		Mi	ddle Schools		Junior/Sea	nior High Sc	hools	1	All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
95.7	95.7 - 95.7	23	93.9	93.9 - 93.9	33	_	_	2	94.8	94.8 - 94.8	58

Page 16 of 63

<sup>-</sup> Results are suppressed due to insufficient number of respondents in subgroup.  $N = Unweighted \ number \ of \ observations$ 

## **2018 School Health Profiles Report Weighted Principal Survey Results**

17. Percentage of schools that provide those who teach physical education with the following materials.

		H	igh Schools		Mic	ddle Schools			/Senior Hig Schools	;h	A	All Schools	
			95% Confidence			95% Confidence		(	95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	Goals, objectives, and expected outcomes for physical education	100.0	†	23	97.0	97.0 - 97.0	33	-	-	2	98.3	98.3 - 98.3	58
b.	A chart describing the annual scope and sequence of instruction for physical education	100.0	†	23	87.9	87.9 - 87.9	33	-	-	2	93.1	93.1 - 93.1	58
c.	Plans for how to assess student performance in physical education	100.0	†	23	97.0	97.0 - 97.0	33	-	-	2	98.3	98.3 - 98.3	58
d.	A written physical education curriculum	100.0	†	23	81.8	81.8 - 81.8	33	-	-	2	89.7	89.7 - 89.7	58
e.	Resources for fitness testing	100.0	†	23	100.0	†	33	-	-	2	100.0	†	58
f.	Physical activity monitoring devices, such as pedometers or heart rate monitors, for physical education	91.3	91.3 - 91.3	23	69.7	69.7 - 69.7	33	-	-	2	77.6	77.6 - 77.6	58

<sup>-</sup> Results are suppressed due to insufficient number of respondents in subgroup.

<sup>†</sup> Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

## **2018 School Health Profiles Report Weighted Principal Survey Results**

18. Percentage of schools in which students participate in physical activity breaks in classrooms during the school day outside of physical education.

Н	igh Schools		Mi	ddle Schools		Junior/Se	nior High Sc	hools	A	All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent	Interval	N	Percent				Interval	N	Percent	Interval	N
52.2	52.2 - 52.2	23	23 48.5 48.5 - 48.5 33		33	_	_	2	50.0	50.0 - 50.0	58

Page 18 of 63

<sup>-</sup> Results are suppressed due to insufficient number of respondents in subgroup.  $N = Unweighted \ number \ of \ observations$ 

## **2018 School Health Profiles Report Weighted Principal Survey Results**

19. Percentage of schools that offer opportunities for all students to participate in intramural sports programs or physical activity clubs.

H	igh Schools		Mi	ddle Schools		Junior/Se	nior High Sc	hools	1	All Schools		
	95%			95%			95%			95%		
	Confidence			Confidence			Confidence			Confidence		
Percent	Interval	N			N	Percent	Interval	N	Percent	Interval	N	
91.3	91.3 - 91.3	23	72.7	72.7 - 72.7	33	_	-	2	81.0	81.0 - 81.0	58	

Page 19 of 63

<sup>-</sup> Results are suppressed due to insufficient number of respondents in subgroup.  $N = Unweighted \ number \ of \ observations$ 

## 2018 School Health Profiles Report Weighted Principal Survey Results

20. Percentage of schools that offer interscholastic sports to students.

H	ligh Schools		Mi	ddle Schools		Junior/Sea	nior High Sc	hools	1	All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
87.0	87.0 - 87.0	23	27.3	27.3 - 27.3	33	_	_	2	50.0	50.0 - 50.0	58

<sup>-</sup> Results are suppressed due to insufficient number of respondents in subgroup.  $N = Unweighted \ number \ of \ observations$ 

## 2018 School Health Profiles Report Weighted Principal Survey Results

21. Percentage of schools that offer opportunities for students to participate in physical activity through organized physical activities or access to facilities or equipment for physical activity during the following times.

		Hi	gh Schools		Mic	ddle Schools			r/Senior Hig Schools	<b>;h</b>	A	All Schools	
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	Before the school day	47.8	47.8 - 47.8	23	42.4	42.4 - 42.4	33	-	-	2	44.8	44.8 - 44.8	58
b.	After the school day	100.0	†	23	60.0	60.0 - 60.0	30	-	-	2	78.2	78.2 - 78.2	55

<sup>-</sup> Results are suppressed due to insufficient number of respondents in subgroup.

<sup>†</sup> Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

## 2018 School Health Profiles Report Weighted Principal Survey Results

22. Percentage of schools that have a joint use agreement for shared use of the following school or community facilities.

		Hi	gh Schools		Mic	dle Schools			:/Senior Hig Schools	gh	A	All Schools	
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	Physical activity or sports facilities	47.8	47.8 - 47.8	23	63.6	63.6 - 63.6	33	-	-	2	58.6	58.6 - 58.6	58
b.	Kitchen facilities and equipment	8.7	8.7 - 8.7	23	6.5	6.5 - 6.5	31	-	-	2	8.9	8.9 - 8.9	56

Page 22 of 63

<sup>-</sup> Results are suppressed due to insufficient number of respondents in subgroup.  $N = Unweighted \ number \ of \ observations$ 

## 2018 School Health Profiles Report Weighted Principal Survey Results

23. Percentage of schools that have adopted a policy prohibiting tobacco use.

H	igh Schools		Mi	ddle Schools		Junior/Se	nior High Sc	hools	A	All Schools	
	95%			95%			95%			95%	
Confidence				Confidence			Confidence			Confidence	
Percent	Interval	N			Interval	N	Percent	Interval	N		
100 0	<b>†</b>	23	84.8	84 8 - 84 8	33	_	_	2	91 4	91 4 - 91 4	58

<sup>-</sup> Results are suppressed due to insufficient number of respondents in subgroup.

<sup>†</sup> Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

## 2018 School Health Profiles Report Weighted Principal Survey Results

24. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for students during any school-related activity.

		High Schools		Mic	ddle Schools			r/Senior Hig Schools	h	A	All Schools		
		Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a.	Cigarettes	100.0	†	22	81.8	81.8 - 81.8	33	-	-	2	89.5		57
b.	Smokeless tobacco (e.g., chewing tobacco, snuff, dip, snus)	100.0	†	22	78.8	78.8 - 78.8	33	-	-	2	87.7	87.7 - 87.7	57
c.	Cigars	100.0	†	22	72.7	72.7 - 72.7	33	-	-	2	84.2	84.2 - 84.2	57
d.	Pipes	100.0	†	22	72.7	72.7 - 72.7	33	-	-	2	84.2	84.2 - 84.2	57
e.	Electronic vapor products (e.g., e-cigarettes, vape pipes, hookah pens)	100.0	†	22	81.8	81.8 - 81.8	33	-	-	2	89.5	89.5 - 89.5	57

<sup>-</sup> Results are suppressed due to insufficient number of respondents in subgroup.

<sup>†</sup> Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

## 2018 School Health Profiles Report Weighted Principal Survey Results

24. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for faculty/staff during any school-related activity.

		Hiş	gh Schools		Mie	ddle Schools			:/Senior Hig Schools	h	A	All Schools	
		Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a.	Cigarettes	100.0	†	22	81.8	81.8 - 81.8	33	-	-	2	89.5	89.5 - 89.5	57
b.	Smokeless tobacco (e.g., chewing tobacco, snuff, dip, snus)	100.0 † 22		78.8	78.8 - 78.8	33	-	-	2	87.7	87.7 - 87.7	57	
c.	Cigars	100.0	†	22	72.7	72.7 - 72.7	33	-	-	2	84.2	84.2 - 84.2	57
d.	Pipes	100.0 † 22		72.7	72.7 - 72.7	33	-	-	2	84.2	84.2 - 84.2	57	
e.	Electronic vapor products (e.g., e-cigarettes, vape pipes, hookah pens)	100.0	†	22	75.8	75.8 - 75.8	33	-	-	2	86.0	86.0 - 86.0	57

<sup>-</sup> Results are suppressed due to insufficient number of respondents in subgroup.

<sup>†</sup> Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

## 2018 School Health Profiles Report Weighted Principal Survey Results

24. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for visitors during any school-related activity.

		Hiş	gh Schools		Mi	ddle Schools			r/Senior Hig Schools	;h	A	All Schools	
		Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a.	Cigarettes	100.0	†	22	78.8	78.8 - 78.8	33	-	-	2	87.7	87.7 - 87.7	57
b.	Smokeless tobacco (e.g., chewing tobacco, snuff, dip, snus)	100.0 † 22		75.8	75.8 - 75.8	33	-	-	2	86.0	86.0 - 86.0	57	
c.	Cigars	100.0	†	22	72.7	72.7 - 72.7	33	-	-	2	84.2	84.2 - 84.2	57
d.	Pipes	100.0	†	22	72.7	72.7 - 72.7	33	-	-	2	84.2	84.2 - 84.2	57
e.	Electronic vapor products (e.g., e-cigarettes, vape pipes, hookah pens)	100.0	†	22	75.8	75.8 - 75.8	33	-	-	2	86.0	86.0 - 86.0	57

<sup>-</sup> Results are suppressed due to insufficient number of respondents in subgroup.

<sup>†</sup> Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

## **2018 School Health Profiles Report Weighted Principal Survey Results**

25. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for students.

		Hi	igh Schools		Mic	ldle Schools			/Senior Hig Schools	gh	A	All Schools	
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	During school hours	100.0	†	22	84.8	84.8 - 84.8	33	-	-	2	91.2	91.2 - 91.2	57
b.	During non-school hours	77.3	77.3 - 77.3	22	69.7	69.7 - 69.7	33	-	-	2	73.7	73.7 - 73.7	57

<sup>-</sup> Results are suppressed due to insufficient number of respondents in subgroup.

<sup>†</sup> Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

## 2018 School Health Profiles Report Weighted Principal Survey Results

25. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for faculty/staff.

		Hi	igh Schools		Mic	ldle Schools			/Senior Hig Schools	gh	A	All Schools	
			95% Confidence			95% Confidence		(	95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	During school hours	100.0	†	22	81.8	81.8 - 81.8	33	-	-	2	89.5	89.5 - 89.5	57
b.	During non-school hours	72.7	72.7 - 72.7	22	66.7	66.7 - 66.7	33	-	-	2	70.2	70.2 - 70.2	57

<sup>-</sup> Results are suppressed due to insufficient number of respondents in subgroup.

<sup>†</sup> Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

# **2018 School Health Profiles Report** Weighted Principal Survey Results

25. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for visitors.

		Hi	igh Schools		Mic	ldle Schools			:/Senior Hig Schools	gh	A	All Schools	
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	During school hours	100.0	†	22	81.3	81.3 - 81.3	32	-	-	2	89.3	89.3 - 89.3	56
b.	During non-school hours	72.7	72.7 - 72.7	22	63.6	63.6 - 63.6	33	-	-	2	68.4	68.4 - 68.4	57

<sup>-</sup> Results are suppressed due to insufficient number of respondents in subgroup.

<sup>†</sup> Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

## 2018 School Health Profiles Report Weighted Principal Survey Results

26. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for students.

		H	igh Schools		Mic	ddle Schools			:/Senior Hig Schools	gh	A	All Schools	
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
				Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	
a.	In school buildings	100.0	†	22	84.8	84.8 - 84.8	33	-	-	2	91.2	91.2 - 91.2	57
b.	Outside on school grounds, including parking lots and playing fields	100.0	'		81.8	81.8 - 81.8	33	-	-	2	89.5	89.5 - 89.5	57
c.	On school buses or other vehicles used to transport students	100.0	†	22	78.8	78.8 - 78.8	33	-	-	2	87.7	87.7 - 87.7	57
d.	At off-campus, school-sponsored events	95.5	95.5 - 95.5	22	78.8	78.8 - 78.8	33	-	-	2	86.0	86.0 - 86.0	57

<sup>-</sup> Results are suppressed due to insufficient number of respondents in subgroup.

<sup>†</sup> Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

# **2018 School Health Profiles Report** Weighted Principal Survey Results

26. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for faculty/staff.

		Hi	igh Schools		Mic	ddle Schools			r/Senior Hig Schools	;h	A	All Schools	
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	In school buildings	100.0	†	22	84.8	84.8 - 84.8	33	-	-	1	91.1	91.1 - 91.1	56
b.	Outside on school grounds, including parking lots and playing fields	100.0				81.8 - 81.8	33	-	-	1	89.3	89.3 - 89.3	56
c.	On school buses or other vehicles used to transport students	100.0	100.0 † 22 7			78.8 - 78.8	33	-	-	1	87.5	87.5 - 87.5	56
d.	At off-campus, school-sponsored events	90.9	90.9 - 90.9	22	78.8	78.8 - 78.8	33	-	-	1	83.9	83.9 - 83.9	56

<sup>-</sup> Results are suppressed due to insufficient number of respondents in subgroup.

<sup>†</sup> Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

## 2018 School Health Profiles Report Weighted Principal Survey Results

26. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for visitors.

		Hi	igh Schools		Mic	ddle Schools			:/Senior Hig Schools	gh	A	All Schools	
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	In school buildings	100.0	100.0 † 22 84.8		84.8	84.8 - 84.8	33	-	-	1	91.1	91.1 - 91.1	56
b.	Outside on school grounds, including parking lots and playing fields	100.0				81.8 - 81.8	33	-	-	1	89.3	89.3 - 89.3	56
c.	On school buses or other vehicles used to transport students	100.0 † 22 7		78.8	78.8 - 78.8	33	-	-	1	87.5	87.5 - 87.5	56	
d.	At off-campus, school-sponsored events	90.9	90.9 - 90.9	22	78.8	78.8 - 78.8	33	-	-	1	83.9	83.9 - 83.9	56

<sup>-</sup> Results are suppressed due to insufficient number of respondents in subgroup.

<sup>†</sup> Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

## 2018 School Health Profiles Report Weighted Principal Survey Results

26N. Percentage of schools that follow a policy that mandates a "tobacco-free environment." A "tobacco-free environment" is one that prohibits tobacco use by students, staff, and visitors in school buildings, at school functions, in school vehicles, on school grounds, and at off-site school events, applicable 24 hours a day and seven days a week.\*

H	igh Schools		Mi	ddle Schools		Junior/Sea	nior High Sc	hools	1	All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
68.2 68.2 - 68.2 22			60.6	60.6 - 60.6	33	_	-	1	64.3	64.3 - 64.3	56

<sup>\*</sup>Responses to question 24 (a, b, c, and d), question 25 (a and b), and question 26 (a, b, c, and d) are all "yes."

<sup>-</sup> Results are suppressed due to insufficient number of respondents in subgroup.

## 2018 School Health Profiles Report Weighted Principal Survey Results

27. Percentage of schools that post signs marking a tobacco-free school zone, that is, a specified distance from school grounds where tobacco use is not allowed.

Н	igh Schools		Mi	ddle Schools		Junior/Se	nior High Sc	hools	A	All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent	Interval	Percent	Interval	Interval	N	Percent	Interval	N			
91.3				75.8 - 75.8	33	_	_	2	81.0	81.0 - 81.0	58

<sup>-</sup> Results are suppressed due to insufficient number of respondents in subgroup.  $N = Unweighted \ number \ of \ observations$ 

# **2018 School Health Profiles Report** Weighted Principal Survey Results

28. Percentage of schools that never, rarely, sometimes, or always or almost always offer fruits or non-fried vegetables at celebrations when foods and beverages are offered.

		Hi	igh Schools		Mic	ddle Schools			:/Senior Hig Schools	gh	A	All Schools	
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	Foods or beverages are not offered at school celebrations	4.3	4.3 - 4.3	23	0.0	†	32	-	-	1	1.8	1.8 - 1.8	56
b.	Never	4.3	4.3 - 4.3	23	3.1	3.1 - 3.1	32	-	-	1	3.6	3.6 - 3.6	56
c.	Rarely	8.7	8.7 - 8.7	23	15.6	15.6 - 15.6	32	-	-	1	12.5	12.5 - 12.5	56
d.	Sometimes	47.8	47.8 - 47.8	23	65.6	65.6 - 65.6	32	-	-	1	57.1	57.1 - 57.1	56
e.	Always or almost always	34.8	34.8 - 34.8	23	15.6	15.6 - 15.6	32	-	-	1	25.0	25.0 - 25.0	56

<sup>-</sup> Results are suppressed due to insufficient number of respondents in subgroup.

<sup>†</sup> Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

# **2018 School Health Profiles Report** Weighted Principal Survey Results

28N. Percentage of schools that offer fruits or non-fried vegetables in vending machines or school stores, and almost always or always at celebrations when foods and beverages are offered.

Н	igh Schools		Mic	dle Schools		Junior/Se	nior High Sc	hools	1	All Schools		
	95%			95%			95%			95%		
	Confidence			Confidence			Confidence			Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	
22.7 22.7 - 22.7 22			0.0	<b>†</b>	33	-	-	1	10.7	10.7 - 10.7	56	

<sup>-</sup> Results are suppressed due to insufficient number of respondents in subgroup.

<sup>†</sup> Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

## **2018 School Health Profiles Report Weighted Principal Survey Results**

29. Percentage of schools in which students can purchase snack foods or beverages from one or more vending machines at the school or at a school store, canteen, or snack bar.

H	igh Schools		Mi	iddle Schools		Junior/Se	nior High Sc	hools	1	All Schools	
	95%				95%			95%			
	Confidence			Confidence			Confidence			Confidence	
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
87.0	87.0 - 87.0	23	33.3	33.3 - 33.3	33	_	_	1	56.1	56.1 - 56.1	57

Page 37 of 63

<sup>-</sup> Results are suppressed due to insufficient number of respondents in subgroup.  $N = Unweighted \ number \ of \ observations$ 

# **2018 School Health Profiles Report** Weighted Principal Survey Results

30. Percentage of schools in which students can purchase the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar.

		High Schools		Mic	ddle Schools			r/Senior Hig Schools	gh	A	All Schools		
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	Chocolate candy	0.0	†	21	0.0	†	33	-	-	1	0.0	†	55
b.	Other kinds of candy	0.0	†	21	0.0	†	33	-	-	1	0.0	†	55
c.	Salty snacks that are not low in fat (e.g., regular potato chips)	9.5	9.5 - 9.5	21	3.0	3.0 - 3.0	33	-	-	1	5.5	5.5 - 5.5	55
d.	Low sodium or "no added salt" pretzels, crackers, or chips	52.4	52.4 - 52.4	21	27.3	27.3 - 27.3	33	-	-	1	36.4	36.4 - 36.4	55
e.	Cookies, crackers, cakes, pastries, or other baked goods that are not low in fat	23.8	23.8 - 23.8	21	18.8	18.8 - 18.8	32	-	-	1	20.4	20.4 - 20.4	54
f.	Ice cream or frozen yogurt that is not low in fat	9.5	9.5 - 9.5	21	12.1	12.1 - 12.1	33	-	-	1	10.9	10.9 - 10.9	55
g.	2% or whole milk (plain or flavored)	9.5	9.5 - 9.5	21	3.0	3.0 - 3.0	33	-	-	1	7.3	7.3 - 7.3	55
h.	Nonfat or 1% (low-fat) milk (plain)	33.3	33.3 - 33.3	21	6.1	6.1 - 6.1	33	-	-	1	18.2	18.2 - 18.2	55
i.	Water ices or frozen slushes that do not contain juice	33.3	33.3 - 33.3	21	9.1	9.1 - 9.1	33	-	-	1	18.2	18.2 - 18.2	55
j.	Soda pop or fruit drinks that are not 100% juice	0.0	†	21	0.0	†	33	-	-	1	0.0	†	55
k.	Sports drinks (e.g., Gatorade)	50.0	50.0 - 50.0	22	12.1	12.1 - 12.1	33	-	-	1	28.6	28.6 - 28.6	56

<sup>-</sup> Results are suppressed due to insufficient number of respondents in subgroup.

<sup>†</sup> Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

# **2018 School Health Profiles Report** Weighted Principal Survey Results

30. Percentage of schools in which students can purchase the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar.

		High Schools		Mic	ddle Schools			r/Senior Hig Schools	gh	A	All Schools		
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
1.	Energy drinks (e.g., Red Bull, Monster)	4.8	4.8 - 4.8	21	0.0	†	33	-	-	1	1.8	1.8 - 1.8	55
m.	Plain water, with or without carbonation (e.g., Dasani, Aquafina, Smart Water)	86.4	86.4 - 86.4	22	24.2	24.2 - 24.2	33	-	-	1	48.2	48.2 - 48.2	56
n.	Calorie-free, flavored water, with or without carbonation (e.g., Dasani Flavors, Aquafina FlavorSplash)	33.3	33.3 - 33.3	21	9.1	9.1 - 9.1	33	-	-	1	18.2	18.2 - 18.2	55
o.	100% fruit or vegetable juice	38.1	38.1 - 38.1	21	12.1	12.1 - 12.1	33	-	-	1	23.6	23.6 - 23.6	55
p.	Foods or beverages containing caffeine	0.0	†	21	0.0	†	33	-	-	1	0.0	†	55
q.	Fruits (not fruit juice)	33.3	33.3 - 33.3	21	6.1	6.1 - 6.1	33	-	-	1	18.2	18.2 - 18.2	55
r.	Non-fried vegetables (not vegetable juice)	33.3	33.3 - 33.3	21	3.0	3.0 - 3.0	33	-	-	1	16.4	16.4 - 16.4	55

<sup>-</sup> Results are suppressed due to insufficient number of respondents in subgroup.

<sup>†</sup> Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

## **2018 School Health Profiles Report Weighted Principal Survey Results**

31. Percentage of schools that have done any of the following activities during the current school year.

		High Schools		Mi	ddle Schools			r/Senior Hig Schools	h	A	All Schools		
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	Priced nutritious foods and beverages at a lower cost while increasing the price of less nutritious foods and beverages	50.0	50.0 - 50.0	22	18.8	18.8 - 18.8	32	-	-	1	32.7	32.7 - 32.7	55
b.	Collected suggestions from students, families, and school staff on nutritious food preferences and strategies to promote healthy eating	59.1	59.1 - 59.1	22	25.0	25.0 - 25.0	32	-	-	1	40.0	40.0 - 40.0	55
c.	Provided information to students or families on the nutrition and caloric content of foods available	81.8	81.8 - 81.8	22	45.5	45.5 - 45.5	33	-	-	1	60.7	60.7 - 60.7	56
d.	Conducted taste tests to determine food preferences for nutritious items	40.9	40.9 - 40.9	22	12.9	12.9 - 12.9	31	-	-	1	25.9	25.9 - 25.9	54
e.	Provided opportunities for students to visit the cafeteria to learn about food safety, food preparation, or other nutrition-related topics	40.9	40.9 - 40.9	22	9.4	9.4 - 9.4	32	-	-	1	23.6	23.6 - 23.6	55
f.	Served locally or regionally grown foods in the cafeteria or classrooms	81.8	81.8 - 81.8	22	71.9	71.9 - 71.9	32	-	-	1	76.4	76.4 - 76.4	55
g.	Planted a school food or vegetable garden	69.6	69.6 - 69.6	23	57.6	57.6 - 57.6	33	-	-	1	63.2	63.2 - 63.2	57
h.	Placed fruits and vegetables near the cafeteria cashier, where they are easy to access	90.9	90.9 - 90.9	22	81.8	81.8 - 81.8	33	-	-	1	85.7	85.7 - 85.7	56

<sup>-</sup> Results are suppressed due to insufficient number of respondents in subgroup.

## **2018 School Health Profiles Report Weighted Principal Survey Results**

31. Percentage of schools that have done any of the following activities during the current school year.

		H	High Schools		Mic	ddle Schools			:/Senior Hig Schools	h	A	All Schools	
		-	95% Confidence		_	95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
i.	Used attractive displays for fruits and vegetables in the cafeteria	77.3	77.3 - 77.3	22	81.3	81.3 - 81.3	32	-	-	1	80.0	80.0 - 80.0	55
j.	Offered a self-serve salad bar to students	77.3	77.3 - 77.3	22	87.9	87.9 - 87.9	33	-	-	1	83.9	83.9 - 83.9	56
k.	Labeled healthful foods with appealing names (e.g., crunchy carrots)	45.5	45.5 - 45.5	22	40.6	40.6 - 40.6	32	-	-	1	43.6	43.6 - 43.6	55
1.	Encouraged students to drink plain water	87.0	87.0 - 87.0	23	78.8	78.8 - 78.8	33	-	-	1	82.5	82.5 - 82.5	57
m.	Prohibited school staff from giving students food or food coupons as a reward for good behavior or good academic performance	31.8	31.8 - 31.8	22	25.0	25.0 - 25.0	32	-	-	1	29.1	29.1 - 29.1	55
n.	Prohibited less nutritious foods and beverages (e.g., candy, baked goods) from being sold for fundraising purposes	40.9	40.9 40.9 - 40.9 22		48.5	48.5 - 48.5	33	-	-	1	46.4	46.4 - 46.4	56

<sup>-</sup> Results are suppressed due to insufficient number of respondents in subgroup.

## 2018 School Health Profiles Report Weighted Principal Survey Results

32. Percentage of schools that prohibit advertisements for candy, fast food restaurants, or soft drinks in the following locations.

		High Schools		Mic	ldle Schools			:/Senior Hig Schools	;h	A	All Schools		
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	In the school building	95.7	95.7 - 95.7	23	90.6	90.6 - 90.6	32	-	-	1	92.9	92.9 - 92.9	56
b.	On school grounds including on the outside of the school building, on playing fields, or other areas of the campus	87.0	87.0 - 87.0	23	87.5	87.5 - 87.5	32	-	-	1	87.5	87.5 - 87.5	56
c.	On school buses or other vehicles used to transport students	95.7	95.7 - 95.7	23	84.4	84.4 - 84.4	32	-	-	1	89.3	89.3 - 89.3	56
d.	In school publications (e.g., newsletters, newspapers, web sites, other school publications)	82.6	82.6 - 82.6	23	84.4	84.4 - 84.4	32	-	-	1	83.9	83.9 - 83.9	56
e.	In curricula or other educational materials (including assignment books, school supplies, book covers, and electronic media)	87.0	87.0 - 87.0	23	81.3	81.3 - 81.3	32	-	-	1	83.9	83.9 - 83.9	56

<sup>-</sup> Results are suppressed due to insufficient number of respondents in subgroup.

## 2018 School Health Profiles Report Weighted Principal Survey Results

33. Percentage of schools that permit students to have a drinking water bottle with them during the school day.

		Hig	gh Schools		Mie	ddle Schools			r/Senior Hig Schools	gh	A	All Schools	
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	Yes, in all locations	100.0	†	23	96.9	96.9 - 96.9	32	-	-	1	98.2	98.2 - 98.2	56
b.	Yes, in certain locations	0.0	†	23	3.1	3.1 - 3.1	32	-	-	1	1.8	1.8 - 1.8	56
c.	No	0.0	†	23	0.0	†	32	-	-	1	0.0	†	56

<sup>-</sup> Results are suppressed due to insufficient number of respondents in subgroup.

<sup>†</sup> Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

## **2018 School Health Profiles Report Weighted Principal Survey Results**

33N. Percentage of schools that permit students to have a drinking water bottle with them in either all locations or certain locations during the school day.

Н	igh Schools		Mic	ddle Schools		Junior/Se	nior High So	hools	Α	All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
100.0	†	23	100.0	<b>†</b>	32	-	-	1	100.0	†	56

<sup>-</sup> Results are suppressed due to insufficient number of respondents in subgroup.

<sup>†</sup> Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

## **2018 School Health Profiles Report Weighted Principal Survey Results**

34. Percentage of schools that offer a free source of drinking water in the following locations.\*

		High Schools 95%			Mic	dle Schools			r/Senior Hig Schools	;h	A	All Schools	
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	Cafeteria during breakfast	90.0	90.0 - 90.0	20	96.8	96.8 - 96.8	31	-	-	1	94.2	94.2 - 94.2	52
b.	Cafeteria during lunch	90.0	90.0 - 90.0	20	96.8	96.8 - 96.8	31	-	-	1	94.2	94.2 - 94.2	52
c.	Gymnasium or other indoor physical activity facilities	95.7	95.7 - 95.7	23	93.3	93.3 - 93.3	30	-	-	0	94.3	94.3 - 94.3	53
d.	Outdoor physical activity facilities or sports fields	100.0 † 23		90.9	90.9 - 90.9	33	-	-	1	94.7	94.7 - 94.7	57	
e.	Hallways throughout the school	100.0	†	23	97.0	97.0 - 97.0	33	_	-	1	98.2	98.2 - 98.2	57

<sup>\*</sup>Among schools with that location.

<sup>-</sup> Results are suppressed due to insufficient number of respondents in subgroup.

<sup>†</sup> Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

## 2018 School Health Profiles Report Weighted Principal Survey Results

35. Percentage of schools that have a full-time registered nurse who provides health services to students.

H	igh Schools		Mic	ddle Schools		Junior/Sea	nior High Sc	hools	1	All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
65.2	65.2 - 65.2	23	9.1	9.1 - 9.1	33	_	_	2	32.8	32.8 - 32.8	58

Page 46 of 63

<sup>-</sup> Results are suppressed due to insufficient number of respondents in subgroup.  $N = Unweighted \ number \ of \ observations$ 

## 2018 School Health Profiles Report Weighted Principal Survey Results

36. Percentage of schools that have a part-time registered nurse who provides health services to students.

H	igh Schools		Mi	ddle Schools		Junior/Sea	nior High Sc	hools	1	All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
52.2	52.2 - 52.2	23	97.0	97.0 - 97.0	33	_	_	2	79.3	79.3 - 79.3	58

Page 47 of 63

<sup>-</sup> Results are suppressed due to insufficient number of respondents in subgroup.  $N = Unweighted \ number \ of \ observations$ 

## 2018 School Health Profiles Report Weighted Principal Survey Results

37. Percentage of schools that have a school-based health center that offers health services to students.

H	igh Schools		Mi	ddle Schools		Junior/Se	nior High Sc	hools	1	All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
34.8	34.8 - 34.8	23	42.4	42.4 - 42.4	33	_	_	2	39.7	39.7 - 39.7	58

Page 48 of 63

<sup>-</sup> Results are suppressed due to insufficient number of respondents in subgroup.  $N = Unweighted \ number \ of \ observations$ 

## 2018 School Health Profiles Report Weighted Principal Survey Results

38. Percentage of schools that provide the following services to students.

		H	igh Schools		Mic	ddle Schools			/Senior Hig Schools	gh	A	Il Schools	
		Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a.	HIV testing	0.0	†	23	0.0	†	31	-	-	1	0.0	†	55
b.	HIV treatment (ongoing medical care for persons living with HIV)	0.0	†	23	0.0	†	32	-	-	1	0.0	†	56
c.	STD testing	0.0	†	23	3.1	3.1 - 3.1	32	-	-	1	1.8	1.8 - 1.8	56
d.	STD treatment	0.0	†	23	3.1	3.1 - 3.1	32	-	-	1	1.8	1.8 - 1.8	56
e.	Pregnancy testing	4.3	4.3 - 4.3	23	6.3	6.3 - 6.3	32	-	-	1	5.4	5.4 - 5.4	56
f.	Provision of condoms	21.1	21.1 - 21.1	19	13.3	13.3 - 13.3	30	-	-	0	16.3	16.3 - 16.3	49
g.	Provision of condom-compatible lubricants (i.e., water- or silicone-based)	13.6	13.6 - 13.6	22	3.3	3.3 - 3.3	30	-	-	0	7.7	7.7 - 7.7	52
h.	Provision of contraceptives other than condoms (e.g., birth control pill, birth control shot, intrauterine device [IUD])	13.6 13.6 - 13.6 22 4.3 4.3 - 4.3 23			3.1	3.1 - 3.1	32	-	-	1	3.6	3.6 - 3.6	56
i.	Prenatal care	0.0	†	23	3.1	3.1 - 3.1	32	-	-	1	1.8	1.8 - 1.8	56

<sup>-</sup> Results are suppressed due to insufficient number of respondents in subgroup.

<sup>†</sup> Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

## 2018 School Health Profiles Report Weighted Principal Survey Results

38. Percentage of schools that provide the following services to students.

		Hi	igh Schools		Mie	ddle Schools			:/Senior Hig Schools	gh	A	All Schools	
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
j.	Human papillomavirus (HPV) vaccine administration	0.0	†	23	3.1	3.1 - 3.1	32	-	-	1	1.8	1.8 - 1.8	56
k.	Assessment for alcohol or other drug use, abuse, or dependency	65.2	65.2 - 65.2	23	12.5	12.5 - 12.5	32	-	-	1	33.9	33.9 - 33.9	56
1.	Daily medication administration for students with chronic health conditions (e.g., asthma, diabetes)	95.7	95.7 - 95.7	23	81.8	81.8 - 81.8	33	-	-	1	87.7	87.7 - 87.7	57
m.	Stock rescue or "as needed" medication for any student experiencing a health emergency (e.g., asthma episode, severe allergic reaction)	82.6	82.6 - 82.6	23	72.7	72.7 - 72.7	33	-	-	1	77.2	77.2 - 77.2	57
n.	Case management for students with chronic health conditions (e.g., asthma, diabetes)	91.3	91.3 - 91.3	23	75.0	75.0 - 75.0	32	-	-	1	82.1	82.1 - 82.1	56

<sup>-</sup> Results are suppressed due to insufficient number of respondents in subgroup.

<sup>†</sup> Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

## **2018 School Health Profiles Report Weighted Principal Survey Results**

39. Percentage of schools that provide students with referrals to any organizations or health care professionals not on school property for the following services.

		Hi	igh Schools		Mic	ddle Schools			/Senior Hig Schools	h	A	All Schools	
			95% Confidence			95% Confidence		(	95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	HIV testing	90.5	90.5 - 90.5	21	68.8	68.8 - 68.8	32	-	-	1	77.8	77.8 - 77.8	54
b.	HIV treatment (ongoing medical care for persons living with HIV)	90.9	90.9 - 90.9	22	68.8	68.8 - 68.8	32	-	-	1	78.2	78.2 - 78.2	55
c.	nPEP (non-occupational post-exposure prophylaxis for HIV a short course of medication given within 72 hours of exposure to infectious bodily fluids from a person known to be HIV positive)	90.9 90.9 - 90.9 22		62.5	62.5 - 62.5	32	-	-	1	74.5	74.5 - 74.5	55	
d.	STD testing	90.5	90.5 - 90.5	21	68.8	68.8 - 68.8	32	-	-	1	77.8	77.8 - 77.8	54
e.	STD treatment	90.5	90.5 - 90.5	21	68.8	68.8 - 68.8	32	-	-	1	77.8	77.8 - 77.8	54
f.	Pregnancy testing	95.0	95.0 - 95.0	20	68.8	68.8 - 68.8	32	-	-	1	79.2	79.2 - 79.2	53
g.	Provision of condoms	90.5	90.5 - 90.5	21	66.7	66.7 - 66.7	33	-	-	1	76.4	76.4 - 76.4	55

<sup>-</sup> Results are suppressed due to insufficient number of respondents in subgroup.

## **2018 School Health Profiles Report Weighted Principal Survey Results**

39. Percentage of schools that provide students with referrals to any organizations or health care professionals not on school property for the following services.

		Hi	igh Schools		Mic	ddle Schools			r/Senior Hig Schools	h	A	All Schools	
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
h.	Provision of condom-compatible lubricants (i.e., water- or silicone-based)	90.5	90.5 - 90.5	21	62.5	62.5 - 62.5	32	-	-	1	74.1	74.1 - 74.1	54
i.	Provision of contraceptives other than condoms (e.g., birth control pill, birth control shot, intrauterine device [IUD])	90.5 90.5 - 90.5 21		66.7	66.7 - 66.7	33	-	-	1	76.4	76.4 - 76.4	55	
j.	Prenatal care	95.0	95.0 - 95.0	20	68.8	68.8 - 68.8	32	-	-	1	79.2	79.2 - 79.2	53
k.	Human papillomavirus (HPV) vaccine administration	95.5	95.5 - 95.5	22	69.7	69.7 - 69.7	33	-	-	1	80.4	80.4 - 80.4	56
1.	Alcohol or other drug abuse treatment	95.5	95.5 - 95.5	22	84.8	84.8 - 84.8	33	-	-	1	89.3	89.3 - 89.3	56

<sup>-</sup> Results are suppressed due to insufficient number of respondents in subgroup.

### 2018 School Health Profiles Report Weighted Principal Survey Results

40. Percentage of schools that have a protocol that ensures students with a chronic condition that may require daily or emergency management (e.g., asthma, diabetes, food allergies) are enrolled in private, state, or federally funded insurance programs if eligible.

H	igh Schools		Mi	ddle Schools		Junior/Sea	nior High So	hools	1	All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
95.7	95.7 - 95.7	23	69.7	69.7 - 69.7	33	_	_	1	80.7	80.7 - 80.7	57

Page 53 of 63

<sup>-</sup> Results are suppressed due to insufficient number of respondents in subgroup.  $N = Unweighted \ number \ of \ observations$ 

## **2018 School Health Profiles Report Weighted Principal Survey Results**

41. Percentage of schools that routinely use school records to identify and track students with a current diagnosis of the following chronic conditions.

		High Schools 95%		Mic	ddle Schools			:/Senior Hig Schools	gh	A	All Schools		
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	Asthma	100.0	†	23	93.8	93.8 - 93.8	32	-	-	1	96.4	96.4 - 96.4	56
b.	Food allergies	100.0 † 23		97.0	97.0 - 97.0	33	-	-	1	98.2	98.2 - 98.2	57	
c.	Diabetes	100.0	†	23	93.9	93.9 - 93.9	33	-	-	1	96.5	96.5 - 96.5	57
d.	Epilepsy or seizure disorder	100.0	†	23	97.0	97.0 - 97.0	33	-	-	1	98.2	98.2 - 98.2	57
e.	Obesity	69.6	69.6 - 69.6	23	36.4	36.4 - 36.4	33	-	-	1	50.9	50.9 - 50.9	57
f.	Hypertension/high blood pressure	87.0	87.0 - 87.0	23	60.6	60.6 - 60.6	33	-	-	1	71.9	71.9 - 71.9	57
g.	Oral health condition (e.g., abscess, tooth decay)	78.3	78.3 - 78.3	23	51.5	51.5 - 51.5	33	-	-	1	63.2	63.2 - 63.2	57

<sup>-</sup> Results are suppressed due to insufficient number of respondents in subgroup.

<sup>†</sup> Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

### 2018 School Health Profiles Report Weighted Principal Survey Results

42. Percentage of schools that provide referrals to any organizations or health care professionals not on school property for students diagnosed with or suspected to have the following chronic conditions.

		High Schools 95%		Mic	ddle Schools			r/Senior Hig Schools	h	A	All Schools		
		Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a.	Asthma				69.7	69.7 - 69.7	33	-	-	1	73.7	73.7 - 73.7	57
b.	Food allergies			66.7	66.7 - 66.7	33	-	-	1	71.9	71.9 - 71.9	57	
c.	Diabetes	78.3	78.3 - 78.3	23	66.7	66.7 - 66.7	33	-	-	1	71.9	71.9 - 71.9	57
d.	Epilepsy or seizure disorder	78.3	78.3 - 78.3	23	66.7	66.7 - 66.7	33	-	-	1	71.9	71.9 - 71.9	57
e.	Obesity	78.3	78.3 - 78.3	23	68.8	68.8 - 68.8	32	-	-	1	73.2	73.2 - 73.2	56
f.	Hypertension/high blood pressure	78.3	78.3 - 78.3	23	63.6	63.6 - 63.6	33	-	-	1	70.2	70.2 - 70.2	57
g.	Oral health condition (e.g., abscess, tooth decay)	78.3	78.3 - 78.3	23	69.7	69.7 - 69.7	33	-	-	1	73.7	73.7 - 73.7	57

<sup>-</sup> Results are suppressed due to insufficient number of respondents in subgroup.

## **2018 School Health Profiles Report Weighted Principal Survey Results**

43. Percentage of schools with practices regarding parental consent and notification when sexual or reproductive health services are provided.

		H	igh Schools		Mi	ddle Schools			:/Senior Hig Schools	gh	A	All Schools	
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	This school does not provide any sexual or reproductive health services	38.9	38.9 - 38.9	18	69.0	69.0 - 69.0	29	-	-	0	57.4	57.4 - 57.4	47
b.	Parental consent is required before any sexual or reproductive health services are provided	11.1	11.1 - 11.1	18	6.9	6.9 - 6.9	29	-	-	0	8.5	8.5 - 8.5	47
c.	Parental consent is not required for sexual or reproductive health services and parents are provided with information about services provided only upon request	0.0	†	18	6.9	6.9 - 6.9	29	-	-	0	4.3	4.3 - 4.3	47
d.	Parental consent is not required for sexual or reproductive health services, but parents may be notified depending on the service provided	22.2	22.2 - 22.2	18	0.0	†	29	-	-	0	8.5	8.5 - 8.5	47
e.	Parental consent is not required for sexual or reproductive health services, but parents are notified about all services provided	11.1	11.1 - 11.1	18	6.9	6.9 - 6.9	29	-	-	0	8.5	8.5 - 8.5	47
f.	Parental consent is not required for sexual or reproductive health services and parents are not notified about any services provided	16.7	16.7 - 16.7	18	10.3	10.3 - 10.3	29	-	-	0	12.8	12.8 - 12.8	47

<sup>-</sup> Results are suppressed due to insufficient number of respondents in subgroup.

<sup>†</sup> Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

# **2018 School Health Profiles Report** Weighted Principal Survey Results

44. Percentage of schools with practices regarding parental consent and notification when sexual or reproductive health services are referred.

		H	igh Schools		Mic	ddle Schools			r/Senior Hig Schools	gh	A	All Schools	
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	This school does not refer any sexual or reproductive health services	10.0	10.0 - 10.0	20	32.1	32.1 - 32.1	28	-	-	1	22.4	22.4 - 22.4	49
b.	Parental consent is required before any sexual or reproductive health services are referred	5.0	5.0 - 5.0	20	0.0	†	28	-	-	1	2.0	2.0 - 2.0	49
c.	Parental consent is not required for sexual or reproductive health services and parents are provided with information about referrals provided only upon request	5.0	5.0 - 5.0	20	7.1	7.1 - 7.1	28	-	-	1	6.1	6.1 - 6.1	49
d.	Parental consent is not required for sexual or reproductive health services, but parents may be notified depending on the referral provided	25.0	25.0 - 25.0	20	3.6	3.6 - 3.6	28	-	-	1	12.2	12.2 - 12.2	49
e.	Parental consent is not required for sexual or reproductive health services, but parents are notified about all referrals provided	0.0	†	20	3.6	3.6 - 3.6	28	-	-	1	2.0	2.0 - 2.0	49
f.	Parental consent is not required for sexual or reproductive health services and parents are not notified about any referrals provided	55.0	55.0 - 55.0	20	53.6	53.6 - 53.6	28	-	-	1	55.1	55.1 - 55.1	49

Page 57 of 63

<sup>-</sup> Results are suppressed due to insufficient number of respondents in subgroup.

<sup>†</sup> Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

## 2018 School Health Profiles Report Weighted Principal Survey Results

45. Percentage of schools that have done any of the following activities during the current school year.

		Hi	gh Schools		Mic	idle Schools			:/Senior Hig Schools	h	A	All Schools	
			95% Confidence			95% Confidence			95% Confidence			95% Confidence	
		Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a.	Provided parents and families with information about how to communicate with their child about sex	72.7	72.7 - 72.7	22	59.4	59.4 - 59.4	32	-	-	1	65.5	65.5 - 65.5	55
b.	Provided parents with information about how to monitor their child (e.g., setting parental expectations, keeping track of their child, responding when their child breaks the rules)	68.2	68.2 - 68.2	22	68.8	68.8 - 68.8	32	-	-	1	69.1	69.1 - 69.1	55
c.	Involved parents as school volunteers in the delivery of health education activities and services	45.5	45.5 - 45.5	22	28.1	28.1 - 28.1	32	-	-	1	34.5	34.5 - 34.5	55
d.	Linked parents and families to health services and programs in the community	86.4	86.4 - 86.4	22	81.3	81.3 - 81.3	32	-	-	1	83.6	83.6 - 83.6	55
e.	Provided disease-specific education for parents and families of students with chronic health conditions (e.g., asthma, diabetes)	63.6	63.6 - 63.6	22	40.6	40.6 - 40.6	32	-	-	1	50.9	50.9 - 50.9	55

<sup>-</sup> Results are suppressed due to insufficient number of respondents in subgroup.

## **2018 School Health Profiles Report Weighted Principal Survey Results**

46. Percentage of schools that use electronic, paper, or oral communication to inform parents about school health services and programs.

Н	igh Schools		Mi	ddle Schools		Junior/Se	nior High Sc	hools		All Schools	
	95%			95%			95%			95%	
	Confidence			Confidence			Confidence			Confidence	
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
95.5	95.5 - 95.5	22	81.8	81.8 - 81.8	33	_	_	1	87.5	87.5 - 87.5	56

Page 59 of 63

<sup>-</sup> Results are suppressed due to insufficient number of respondents in subgroup.  $N = Unweighted \ number \ of \ observations$ 

# **2018 School Health Profiles Report** Weighted Principal Survey Results

47. Percentage of schools that participate in a program in which family or community members serve as role models to students or mentor students, such as the Big Brothers Big Sisters program.

H	igh Schools		Mi	ddle Schools		Junior/Se	nior High Sc	hools	1	All Schools		
	95%			95%			95%			95%		
	Confidence			Confidence			Confidence			Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	
45.5	Toront Interval			37.5 - 37.5	32	-	-	1	40.0	40.0 - 40.0	55	

<sup>-</sup> Results are suppressed due to insufficient number of respondents in subgroup.

## 2018 School Health Profiles Report Weighted Principal Survey Results

48. Percentage of schools that provide service-learning opportunities for students.

High Schools			Middle Schools			Junior/Se	nior High Sc	All Schools			
	95%			95%			95%			95%	
Confidence			Confidence			Confidence			Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
81.8	81.8 - 81.8	22	36.4	36.4 - 36.4	33	_	_	1	55.4	55.4 - 55.4	56

Page 61 of 63

<sup>-</sup> Results are suppressed due to insufficient number of respondents in subgroup.  $N = Unweighted \ number \ of \ observations$ 

## 2018 School Health Profiles Report Weighted Principal Survey Results

49. Percentage of schools that provide peer tutoring opportunities for students.

High Schools			Middle Schools			Junior/Se	nior High Sc	All Schools			
	95%			95%			95%			95%	
Confidence			Confidence			Confidence			Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
95.5	95.5 - 95.5	22	60.6	60.6 - 60.6	33	_	_	1	75.0	75.0 - 75.0	56

Page 62 of 63

<sup>-</sup> Results are suppressed due to insufficient number of respondents in subgroup.  $N = Unweighted \ number \ of \ observations$ 

## **2018 School Health Profiles Report Weighted Principal Survey Results**

50. Percentage of schools in which students' families helped develop or implement policies and programs related to school health during the past two years.

High Schools			Middle Schools			Junior/Se	nior High Sc	All Schools				
	95%			95%			95%			95%		
Confidence			Confidence			Confidence			Confidence			
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	
63.6	63.6 - 63.6	22	45.5	45.5 - 45.5	33	_	_	1	51.8	51.8 - 51.8	56	

Page 63 of 63

<sup>-</sup> Results are suppressed due to insufficient number of respondents in subgroup.  $N = Unweighted \ number \ of \ observations$